



**P91482Hu02**

**Amylase Alpha 1, Salivary (AMY1)**

**Organism: Homo sapiens (Human)**

***Instruction manual***

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES

---

---

4th Edition (Revised in August, 2012)

### **[ DESCRIPTION ]**

**Protein Names:** Amylase Alpha 1, Salivary

**Synonyms:** AMY1

**Species:** Human

**Size:** 10µg

**Source:** *Escherichia coli*-derived

**Subcellular Location:** Secreted.

### **[ PROPERTIES ]**

**Residues:** Ala15~Leu511 (Accession # P04745), with N-terminal His-Tag.

**Grade & Purity:** >95%, 57 kDa as determined by SDS-PAGE reducing conditions.

**Formulation:** Supplied as liquid form in Phosphate buffered saline(PBS), pH 7.4.

**Endotoxin Level:** <1.0 EU per 1µg (determined by the LAL method).

**Applications:** SDS-PAGE; WB; ELISA; IP.

(May be suitable for use in other assays to be determined by the end user.)

**Predicted Molecular Mass:** 57.2 kDa

**Predicted isoelectric point:** 6.5

### **[ PREPARATION ]**

Reconstitute in sterile PBS, pH7.2-pH7.4.

## [ STORAGE AND STABILITY ]

**Storage: Avoid repeated freeze/thaw cycles.**

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate of the target protein. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. (Referring from China Biological Products Standard, which was calculated by the Arrhenius equation.) The loss of this protein is less than 5% within the expiration date under appropriate storage condition.

## [ SEQUENCES ]

The target protein is fused with N-terminal His-tag, its sequence is listed below.

MGHHHHHSG S-AQYSSNTQQ GRTSIVHLFE WRWVDIALEC ERYLAPKGFV GVQVSPNEN VAIHNPFRPW WERYQPVSYSK  
LCTRSGNEDE FRNMVTRCEN VGVRIYVDAV INHMCNAVS AGTSSTCGSY FNPGRDFPA VPYSGWDFND GKCKTGSGDI  
ENYNDATQVR DCRLSGLLDL ALGKDYVRSK IAEYMNHLID IGVAGFRIDA SKHMWPGDIK AILDKLHNLN SNWFPEGSKP  
FIYQEVIDLG GEPIKSSDYF GNGRVTEFKY GAKLGTVIRK WNGEKMSYK NWGEGWGFMP SDRALVFVDN HDNQRGHGAG  
GASILTFWDA RLYKMAVGFM LAHPYGFTRV MSSYRWPRYF ENGKDVNDWV GPPNDNGVTK EVTINPD TTC GNDWVCEHRW  
RQIRNMVNFR NVVDGQPFTN WYDNGSNQVA FGRGNRGFIV FNDDWTFSL TLQTGLPAGT YCDVISGDKI NGNCTGIKIY  
VSDDGKAHFS ISNSAEDPFI AIHAESKL

## [ REFERENCES ]

1. Baltova S.D. (2005) Folia Med (Plovdiv) 47:37-41.
2. Ramasubbu N., *et al.* (2004) Arch. Biochem. Biophys. 421:115-124.
3. Ramasubbu N., *et al.* (2004) Eur. J. Biochem. 271:2517-2529.
4. Ramachandran P., *et al.* (2006) J. Proteome Res. 5:1493-1503.



Gentaur Molecular Products  
Voortstraat 49  
1910 Kampenhout, BELGIUM  
Tel 0032 16 58 90 45 | Fax 0032 16 50 90 45  
[www.gentaur-worldwide.com](http://www.gentaur-worldwide.com)  
[info@gentaur.com](mailto:info@gentaur.com)